

NAME OF TAXABLE PARTY.

MY POOL DIRECT


## About us

The MY POOL DIRECT team has been in the Swimming Pool & Leisure Industry for over 15 years and has a combined wealth of knowledge to help you choose the ideal swimming pool for your back garden.

MY POOL DIRECT's website presents many fibreglass pool structures and bespoke swimming pools. In some cases, we can even fabricate over-size swimming pools on-site at the client's address. In addition to this, MY POOL DIRECT sells and distributes swimming pool enclosures in both lowlevel, medium-level, and high-level profiles. You will find everything you need to complete your swimming pool purchase for your garden.

The warmer Summers in the United Kingdom are significantly increasing sales, so we suggest everyone plans well in advance. MY POOL DIRECT will also, on occasion, have swimming pool packages, "instock", ready for immediate delivery.

MY POOL DIRECT offer you the best prices with no middlemen involved! We have all of our deliveries transported to our storage site in the UK where we then transfer the clients swimming pool onto our vehicles with hi-ab lifting cranes. The pools are then delivered to our clients. MY POOL DIRECT can also ship by ground vehicle throughout Europe.





### Colors and water coloring



## Technology

MY POOL DIRECT pools are made of high quality resin, fiber glass and a special-purpose pool gel coat. Its durability allows customers to install it outside as well as inside the building. This coat has a high level of resistance to UV radiation, chemicals and high temperatures. It's the most important layer of the product that constitutes the quality of the pool.

The additional protection of the gel coat is a special vinyl ester barrier coat. It creates durable antiosmosis layer on the pool preventing the surface from micro damages. The use of high quality materials and process of tempering ensures that the end product meets the highest standards.

Checking the strength of the pool under the pressure of water is the last stage of the gel coat production check. Purchasing **MY POOL DIRECT** pool you are sure

that you get the PREMIUM quality pool.


Our company also uses a special strengthening layer at the bottom of a pool called 'honeycomb'.

Each pool is firmly fastened with a metal ring and additionally insulated with 2 cm polyurethane foam.

## Layers composition

1.	Gel coat resistant to UV radiation and chemicals
2.	Vinylester Barrier coat
З.	Vinylester Barrier coat Vinylester Skin coat
4.	Vinylester resin + glass fibre mat
5.	Vinylester resin + triple layer of glass fibre mat
6.	Woven roving
7.	Polyester resin + triple layer of glass fibre mat
8.	Top coat ·····
9.1	Honeycomb – bottom of the pool $\lambda$
	Polyurethane foam 2 cm

# Reinforcements for extra durability




# Advanced filtration system

In our wide offer you will find special sealed boxes for the filtration kit. A great solution for storing the whole filtration system responsible for the proper pool functioning.

Installing the box gives you numerous benefits: it is soundproof, easy to install, and takes less space than any other container.





#### Technical boxes avialable in 5 sizes:

	Internal dimensions	External dimensions		
Jet box	1,00 x 0,50 x 0,80 m	1,13 x 0,63 x 0,80 m		
Small "fit"	0,75 x 0,75 x 0,70 m	0,83 x 0,83 x 0,70 m		
Small	0,90 x 0,90 x 1,00 m	1,10 x 1,10 x 1,00 m		
Medium	1,50 x 1,00 x 1,00 m	1,70 x 1,20 x 1,00 m		
Large	1,70 x 1,20 x 1,00 m	1,90 x 1,40 x 1,00 m		



#### Manual pool installation

Due to the uncomplicated, quick and easy way of embedding, **MY POOL DIRECT** pools can be self-assembled. Below you will find some tips on how to install the pool shell.

**STEP I:** In the chosen area for the swimming pool, on the basis of a technical drawing, you should dig a hole with dimensions slightly larger than the dimensions of the bottom basin (about 20–30 cm larger on each side). Please note that the hole should be slightly narrower downwards.

**IMPORTANT!** In the case of wetlands or groundwater, a drainage ring is required.

At this stage you should also think about the closed box/space for the filtration set (and other equipment). It is recommended that the filtration box should be as close to the pool as possible (min. 50 cm) to avoid water pressure and heat loss. It is advisable that the filtration kit to be mounted below the skimmer level (in that case the filter pump is spilled automatically).

**STEP II:** At the bottom of the dug pit, make a concrete floor (B20 class concrete) with a thickness of 15–20 cm (depending on the size of the pool and the quality of the substrate) with a levelled bottom. To protect against settling or moving the ground, the concrete slab is reinforced with a steel bar, ribbed Ø 8–10 mm. The floor should have a smooth surface. If there are still slight uneven areas, a layer of styrodur should be placed, not thicker than 5 cm.

**STEP III:** Put the pool shell in the prepared concrete floor. After setting the pool on the concrete floor, check the levels. When you are sure that the pool has been set evenly, move to the next step.

**STEP IV:** Before filling the pool with water, cut the holes (if they are not cut yet), and then install the pool equipment in the wall of the pool.

**STEP V:** In a equipment box or similar space, install a filtration kit and connect the piping to the pool.

**NOTE:** The box in which the filter set is located must be water-tight. Do not allow the equipment to be soaked with water.

**STEP VI:** Pour about 20 cm of water into the pool and check again if the pool is evenly set.

**STEP VII:** Cover the sides of the pool with a dry cement B5 and sand mortar in a ratio of 1:5 up to leveling the water and mortar levels. Sprinkle the mortar with water to match the shape of the pool.

**STEP VIII:** Repeat steps VI and VII until the pool is completely filled with water.

**ATTENTION!** When filling the pool with water, check that there is no water leaking from the gaskets of the installed devices in the pool wall and the equipment box.

**ATTENTION!** An empty pool can be lifted by ground water, so it should be covered with a mixture of sand and cement, and in the winter only partially drained.

**DO NOT** fill the pool with water if it is not covered without sprinkling, because the pressure exerts water on its walls can cause the construction to burst!!!








Made specially for relaxation p. 13 NEW FULL RELAX AQUA RELAX NEW SWIM COMFORT NEW NEW MAXI SPA AQUA FIT KEFALINA RODOS MILOS AGOS Classic shape **p. 15** TINOS NEW RIVIERA BALI

BORA BORA	SYCYLIA	SKIATOS XL	SKIATOS II	SKIATOS	ZANZIBAR	MINORKA	Geometric shapes p. 17
MALTA	JAMAJKA	SARDYNIA	MADAGASKAR	CYPR	BARBADOS		Minimalistic style p. 19
JAWA	KING	BORNEO	HAITI	KRETA	INKONOS	Sir	nple and versatile p. 21






Unique models

p. 29







www.mypooldirect.co.uk



lounger area with built in jets for relaxation inlets skimmer

Pit area at the end of the pool that houses the electric roller cover

sales@mypooldirect.co.uk

SWIM COMFORT

#### Plenty of relaxing time thanks to the pool design...

Side anti slippery stairs in a serpentine shape provide comfort and safety – ideal for elderly people. Additionally, side stairs do not take swimming space.

KEFALINA and RODOS – both are great models for those who enjoy chilling in the water – there is a special bench on the side where can sit in a comfortable position still being immersed in the water.

Our customers choose RODOS! This model is our bestseller for the last couple of seasons.





### Best choice for people who value classic shapes and elegance!

All models in this group are medium size and the advantage is the fact that they have stairs on both ends of the pool. They are definitely easier to arrange in the landscape. Additionally, in each corner, we designed a step to sit and relax.

We highly recommend to install at least one pool light. It will definitely add a WOW factor to the swimming experience.







BALI

Length 6.30 m

Width 3.15 m

Height 1.50 m



TINOS				
Length Width	6.30 m 3.10 m			
Heiaht	1.50 m			



### Get the most out of spending the time in your private pool designed especially for your leisure!

All pool models have been created as an answer to our customers' most frequent questions and specific requirements. You can now enjoy the best pool solutions available on the market!

One of the examples would be our anti slippery side stairs that allow you to use the whole length of the pool for swimming. Additionally, you can use three corners of the pool either for sitting or for installing the massage jets. From now on, spending time in the pool will become the favourite pastime of your family and friends.

BORA BORA	SYCYLIA NEW	SKIATOS XL	SKIATOS II NEW	SKIATOS
Length 10.00 m Width 3.75 m Height 1.50 m	Length 8.00 m Width 3.75 m Height 1.50 m	Length 8.00 m Width 3.20 m Height 1.50 m	Length 7.00 m Width 3.22 m Height 1.50 m	Length 7.00 m Width 3.22 m Height 1.50 m
ZANZIBAR	MINORKA	SAMOS	FLO	RYDA
Length 7.00 m Width 3.10 m Height 1.35 m	Length 6.30 Width 3.10 Height 1.50	m Width 3.	10 m Width	n 5.00 m n 2.80 m t 1.35 m



#### More space for swimming in geometrically-shaped pools!

Thanks to the side stairs there is more room for spending active time in the pool. Additional equipment such as the counter current allows you to enjoy swimming in the spot.

As a result, you will get the distinct impression of swimming in much bigger pool.

This line is all about pools of rectangular shape. If you value geometric shapes and aesthetic minimalism you are bound to find something for yourself.

The best solutions for those who enjoy water sport but have limited space in their garden.






### Ease in using the pool, thanks to the simple design solutions!

Corner stairs on both ends allow two people to get into the pool without getting in each other way.

This construction of those models give you more options when it comes to situating it in your garden.





### Elegant design guarantees many compliments from invited guests!

ITAKA

KORSYKA

Length 9.00 m Width 3.70 m Height 1.55 m

Pools for families with kids and for those who enjoy relaxed swimming.

We would like to present EGINA and LINDOS – both pools are relatively shallow. TENERYFA, KORSYKA, ITAKA – the widest and the longest pools in our model range in which two people can swim alongside! Installing the counter current will allow you to organise the swimming or diving contests. The whole family and your friends can enjoy splashing in the pool when sitting on the anti slippery stairs!

What makes those pools so unique? In each corner we designed steps that can be used for sitting or getting out of the pool in a safe way.



Length 10.00 m

Width 3.70 m

Height 1.55 m



## Designed to meet all your expectations and needs!

We would like to introduce new yet classic models with Roman style stairs. Elegant staircase shape will add a modern look to your garden.

These models are perfect for small size gardens, but still, the pool can fit in many people.

Thanks to medium depth, e.g. DOMINIKANA model is perfect for teenagers or for medium height people. All pools have non-slipping, certified stairs that ensure maximum safety.





Best options for people who enjoy slow, relaxing swimming... Our designers worked on range of pools that would be perfect for those with limited garden space.

In KORFU II and KASTOS II models there are special sitting benches.

The special shape of sitting area makes it possible to install massage jets, so you can enjoy spending your time.

In each pool, you can additionally install the colour lights and counter current.



Length 6.50 m

Width 3.00 m

Height 1.40 m

IBIZA II

Length 6.00 m Width 3.00 m Height 1.40 m



KASTOS IILength5.50 mWidth3.00 m

Height 1.40 m



DELOS

Length 4.80 m Width 2.50 m Height 1.20 m








## Interesting design solutions to maximize your benefits!

These models have unique waved stairs shape. Each step has anti slippery surface that gives you additional protection.

Comfortable seats in each corner of the pool allow you to sit and relax or to safely leave the pool.

These pools make your garden stand out.







### Unique pool model with the container for the most luxurious slatted cover



SWIM COMFORT

Length 8.80 m Width 3.50 m Height 1.50 m OKINAWA Length 7.80 m

Width 3.20 m Height 1.50 m Let us introduce the Okinawa pool consisting of 7 m long pool plus 80 cm of the container with the built-in blind.

This model is usually chosen by people who value practical side and aesthetics.

The Okinawa's biggest advantages are:

#### SAFETY:

Slatted cover keeps all dirt out of the pool and more importantly – prevents kids and pets from falling into the pool.

#### **EFFICIENCY**:

Slatted cover help reduce the water evaporation and heat loss which saves the energy up to 90%. It keeps the pool clean and it means frugality.

#### **AESTHETICS:**

The slatted cover container had been designed in the same color as the pool that which allows keeping the homogenous aesthetic of the pool and the garden.

The color of the cover can be chosen from transparent, black, white, beige, grey and blue.

#### **REMOTE CONTROL:**

Additionally, you can control the cover with the remote control: with the press of the button you can discreetly hide the blind to use the pool.





### Childhood is the time to have fun!

The best play time always was and will be splashing in the water!

Having the kids safety in mind we have created a series of small pools: comfortable slip-resistant stairs ensure easy coming-in, shallow depth adds youngsters confidence when splashing in the pool!

We recommend installing colorful lights so that children can use the pool safely. Adding non-compulsory equipment such as lightning will transform every evening into joyful time in the water.



No matter where you are – we will get there!



Producer

5-7 Downham Road, Ramsden Heath, Billericay, Essex, CM11 1PU

tel.: 01268 710425 email: sales@mypooldirect.co.uk







www.mypooldirect.co.uk



Distributor / Vertretung

MY POOL DIRECT

5-7 Downham Road, Ramsden Heath, Billericay, Essex, CM11 1PU

tel: 01268 710425

email: sales@mypooldirect.co.uk

