



RivieraPool is always the right choice ...

Quality -	Quality - Design - Functionality				
Type cor	nparison prefabricated swimming pools	Page 4			
Prefabri	cated swimming pools 270/320/370				
	D•Line ANCONA	Page 8			
New!	D•Line CLASSIC BARI	Page 10			
	D•Line MODENA	Page 12			
	D•Line MODENA 550: CLASSIC & SWIM & FUN	Page 14			
	D•Line LINEAR	Page 16			
	D•Line LINEAR RS	Page 18			
	D•Line LUGANO RS	Page 20			
	WetLounge® - D•Line ANCONA with Linear RS step-end and integrated roller shutter cover	Page 22			
	ROM	Page 24			
Prefab	ricated swimming pools XL New!				
	D•Line LINEAR XL	Page 26			
	ROM XL	Page 26			
Prefabri	cated swimming pools with overflow channel				
	D•Line ANCONA Ü	Page 28			
	D•Line LINEAR Ü	Page 30			
Prefabri	cated swimming pools XL with overflow channel New!				
	D•Line LINEAR XL Ü	Page 32			
	ROM XL Ü	Page 32			
Optiona	l Extras / Accessories				
	Water attractions: Counter current systems, Massage systems	Page 34			
New!	Lighting packages	Page 40			
New!	Equipment package: Classic & Riviera Elements	Page 45			
New	RivieraPool® Roller shutter shafts	Page 46			
	Winter cover	Page 48			
	Infinity-edge / Wetlounge®	Page 49			
	Decor tiles made of Ezarri glass mosaic / Complete tiling	Page 50			

The new Design Line by **Riviera Pool**®

370 one-piece pool



370 one-piece pool with overflow channel



270 one-piece pool

ANCONA 800



ANCONA 550



MODENA 550 CLASSIC



MODENA 550 SWIM & FUN

320 one-piece pool

ROM 945



ANCONA 320 CLASSIC BARI 320



MODENA 320



LINEAR 320



370 Riviera WetLounge RS

New!

New!

ANCONA 370 WL RS

New!



CLASSIC 370 BARI WL RS

New!




Also available as 320



370 one piece pool RS

with integrated roller shutter cover

LINEAR RS 975



LUGANO RS



WETLOUNGE with ANCONA



LINEAR RS

470 one piece pool XL



D•LINE LINEAR XL



ROM XL





D•LINE LINEAR XL Ü




ROM XL Ü



MODENA 370 WL RS



LINEAR 370 WL RS



New!

ROM 370 WL RS

and LINEAR RS

with WetLounge

The NEW D.Line

RIVIERA LIGHT BLACK The Design-Line has long been synonymous with straight lines, consistent design, and modern aesthetics: It offers timeless design for the finest in your wellness area or outdoor living space. The D•Line has once again undergone a transformation.

RivieraPool LIGHTS

Introducing stylish new lights that fulfill their purpose: providing bright, inviting light that is both glare-free and elegant, creating a wonderful ambiance. The new **Riviera**Lights offer unique design for your RivieraPool...

WetLounge "RS" – "Roller Shutter Shaft"

The Linear RS, a classic reimagined. With the roller shutter and stairs situated on one side, there is ample space opposite for ultimate freedom: whether it is for a counter-current system or an infinity edge, the possibilities are endless. This is innovation at its finest.

WetLounge, 2 metres more water area. A grand experience.

Ever wondered why people don't just swim on the beaches of Bali, the Seychelles, or the ABC Islands, but instead choose to enjoy life in the shallow waters? It's because of the laid-back, warm, shallow waters that simply invite you to relax... Is there any reason not to bring this experience home?



There are numerous new opportunities to realize your unique dream pool. Nothing is as unique as you are – just like your choice for the perfect pool. The new Design Line makes it possible. There are plenty of pre-fab pools available in the market. Are you seeking more than the "standard"? Then, let's discuss your new outdoor living space. Your living area, which requires more than just a waterproof container. Eventually, the time comes – Why not now?


An MLine whirlpool or a C-Side minipool?

A pool that complements your pool.
Slightly smaller, but warm and equipped with
everything you need to contrast the refreshing
swim in the pool: relaxation in warm water,
hydro-massage, and wellness – all within
the privacy of your garden...
It's pure relaxation.



New: The "BARI" steps

More than just a southern Italian port city,
"BARI" represents your individual design option.
Comfortable stairs placed where you desire: whether
it's at the front or on the long side. Enter your pool
as you please – the possibilities are endless...
it's pure sophistication!



Combine ...

... the possibilities for combination are endless. Everything fits together perfectly for your perfect, private pool – a departure from standard pool offerings: an Ancona staircase paired with Wetlounge. On the opposite side, the Linear "RS" entry steps for the whole family, complete with an integrated roller shutter.



ANCONA — RivieraPool's simple entry step. A timeless design which enhances your swimming pleasure to the maximum. Allowing the whole length of the pool to be used.

Pool step with 5 Steps on the right side with anti-slip profiled surface. Pool with 6 degree wall incline and roll cover ledge with integrated steel beam. Pool with 30 mm insulation in the floor and 20 mm insulation in the walls.

EXTENSIONS FROM P. 34 - Water attractions, Lighting packages - infinity channels, - Wetlounges - decor tiles

D•Line ANCONA 270 / 320 / 370





Roller shutter shafts: Integra 2-13

... and RIVIERA WETLOUNGERS

Also available with the Infinity channel and in the self-supporting version.

CLASSIC BARI – THE VARIABLE ENTRY STEP


One-piece pool made out of Epoxy-acrylate, sandwich construction with 2 cm insulation in walls and 3 cm in the floor. 6 degree wall incline and rollcover ledge on three sides with integrated steel beam. Floating suspended entry step with anti-slip profiled surface.





- Water attractions, Lighting packages
- infinity channels, Wetlounges
- decor tiles





Roller shutter shafts: Integra 2-13

... and RIVIERA WETLOUNGE RS

All pools shown are with equipment package and options. We reserve the right to change technical items without prior announcement to improve the product.

Also available with the Infinity channel and in the self-supporting version.

MODENA — Offering a contemporary design of massage seating bench and relaxation area for all the whole family to enjoy. Integrating the elegant entry step into one side.

One-piece pool made out of Epoxy-acrylate, sandwich construction with 20 mm insulation in walls and 30 mm in the floor. Pool step with 6 treads on the right side with anti-slip profiled surface.





D.LINE MODENA



- Water attractions, Lighting packages
- infinity channels, Wetlounges
- decor tiles







Roller shutter shafts:

Integra 2-13 with technik shaft

Integra 2-13

... and RIVIERA WETLOUNGE RS

All pools shown are with equipment package and options. We reserve the right to change technical items without prior announcement to improve the product.

MODENA 550 CLASSIC

- One-piece pool made out of Epoxy-acrylate
- Pool with 3 cm insulation in the floor and 20 mm insulation in the walls
- Pool with 6 degree wall incline and roll cover ledge with integrated steel beam
- Pool step with 6 treads on the right side with anti-slip profiled surface



All pools shown are with equipment package and options. We reserve the right to change technical items without prior announcement to improve the product.

MODENA 550 SWIM & FUN

Swim-Spa made out of "Epoxy Acrylate"

- 6 pool steps with anti-slip profiled surface, comfortable seat and lounge with massage equipment. Roller shutter safety ledge.
 Steel frame integrated below the ledge of the roller shutter
- Pool with 3 cm insulation in the floor and 2 cm insulation in the walls
- Technique shaft laminated to the pool shell with fine wood cover (Kebony®)

Prefabricated swimming pool for inground-installation to be backfilled with lean concrete. All accessories pre-plumbed and pre-installed.


Filtration/heating:

- Pool filter with 6-way multiport valve and pump 0,37 kW with prefilter
- Electric heater 3 + 2 kW
- Skimmer with water level regulator
- 1 low level wall suction fitting
- 1 bottom outlet sump with cover
- 2 inlet jets
- 1 underwater light, LED white, 12 V, with transformer and plastic connection box
- Spa control with Spa Touch

Swim & Fun Pak consisting of:

- Double jet countercurrent system with air controls
- 6 microjets for back and legs
- 1 floor geyser for foot and calf
- 2 maritim massage iets






LINEAR — Modern, elegant and clean lines. An entry step for friends to gather and relax, before or after exercise.

One-piece pool made out of Epoxy-acrylate, sandwich construction with 2 cm insulation in walls and 3 cm in the floor. 6 degree wall incline and rollcover ledge with integrated steel beam. 4 extra wide 37 cm steps with anti-slip profiled surface.



D.Line LINEAR







... and RIVIERA WETLOUNGE RS


Also available with the Infinity channel and in the self-supporting version.

Linear RS – the highlight of your garden

The linear step end with integrated roller shutter shaft.


A one-piece swimming pool like the Linear but with a more sophisticated feature: The Linear RS stairs have an integrated roller-shutter shaft. The cover is concealed invisibly below the steps, slides out at the touch of a button and covers the pool. For inspections, the step section can be moved to reveal the entire shaft. This arrangement also allows the use of an infinity edge that can be covered with decorative flow gravel; the water surface is smooth and calm (Fig. 2). The WetLounge is a great combination with the Linear RS stairs, providing an additional calm-water area for you to relax and your children to play (Fig. 3).

D•Line LINEAR RS




The new LUGANO RS the focal point of your wellness oasis!

Just as the Linear RS the Lugano RS features an integrated roller shutter shaft. The cover is concealed invisibly below the steps, slides out at the touch of a button and covers the pool. For inspections, the step can be opened. This arrangement also allows the use of an infinity edge that can be covered with decorative flow gravel; the water surface is smooth and calm. The WetLounge is a great combination with the Lugano RS stairs, providing an additional shallow-water area for you to relax and your children to play (see example of Linear RS with Wetlounge).



D-Line LUGANO RS




- Water attractions, Lighting packages
- infinity channels, Wetlounges
- decor tiles

WetLounge® is the ideal combination for plenty of unique and unforgettable summers:

- Spacious swimming area measuring 8 x 3,7 metres or 10 x 3,7 metres with 1,5 metres depth
- Step end Linear RS with four large steps and integrated roller shutter pool cover
- WetLounge® –shallow water zone 2 x 3,7 meters and 0,23 meters depth
- Step system Ancona, five steps in front of the lounge

One-piece pool made out of Epoxy-acrylate, sandwich construction with 2 cm insulation in the walls and 3 cm in the floor. 6 degree wall incline and rollcover ledge with integrated steel beam. The pool can be fully covered. Below the coping stones, high water levels of up to 5 cm are possible.



WetLounge



ROM – Traditional pool entry step with 5 full width steps with anti-slip profiled surface.

One-piece polyester pool made out of Epoxy-Acrylate. 5 pool steps, with 6 degree wall incline and rollcover ledge with integrated steel beam. Pool with 3 cm insulation in the floor and 2 cm insulation in the walls.




- infinity channels, Wetlounges
- decor tiles

ROM



Roller shutter shafts: Integra 2-13



... and RIVIERA WETLOUNGERS

All pools shown are with equipment package and options. We reserve the right to change technical items without prior 24 announcement to improve the product.


Also available with the Infinity channel and in the self-supporting version.

WHETHER ROM OR LINEAR -

the design in XL format 4.70 m wide!

One-piece pool made out of Epoxy-acrylate. Sandwich construction with 20 mm insulation in the walls and 30 mm insulation in the floor, roller shutter safety ledge, steel frame integrated below the ledge of the roller shutter. Comfortable pool steps with anti-slip profiled surface.









All pools shown are with equipment package and options. We reserve the right to change technical items without prior announcement to improve the product.


Ancona with overflow channnel -

One-piece polyester pool made out of Epoxy-Acrylate.

Pool step with 5 steps on the right side with anti-slip profiled surface. Pool with 3 cm insulation in the floor and 2 cm insulation in the walls. White plastic overflow gutter, adjustable overflow weir, tiles and expoxy glue for installation on site. 2 overflow drains d125, white PVC grates with 4 corners.



D•Line ANCONA with overflow channel



Gutter for overflow channel



Overflow channel with stone cover adjustable overflow weir of GRP



Overflow channel with stone cover adjustable overflow weir of V4A



LINEAR with overflow channnel -

One-piece polyester pool made out of Epoxy-Acrylate.

Sandwich construction with 2 cm wall insulation and 3 cm insulation in the floor. White plastic overflow gutter, adjustable overflow weir, tiles and expoxy glue for installation on site. 2 overflow drains d125, white PVC grates with corners.



D•Line LINEAR with overflow channel



Gutter for overflow channel



Overflow channel with stone cover adjustable overflow weir of GRP





Overflow channel with stone cover adjustable overflow weir of V4A



XL Swimming pools with overflow channel One-piece polyester pool made out of Epoxy-Acrylate.

Sandwich construction with 20 mm insulation in the walls, 30 mm insulation in the floor, white plastic overflow gutter around the entire pool, adjustable overflow weir, tiles and epoxy glue for installation on site. 4 gutter drains d 125, white PVC grates with corners.







Gutter grates made of plastic.

Water attractions

COUNTER CURRENT SYSTEMS

Back in the 80s, RivieraPool developed counter current systems that still run robustly and durably today, providing daily fitness.

The **Twinjet** is a double jet system that lets you swim against a wide powerful jet of water. A «must have» for every pool, because it makes swimming endless.

The **Trijet** units give an even more powerful triple jet, against which you swim even more physically.


A new dimension is offered by the **Komfortjet**, an integrated counter-swimming system that creates a wide natural flow. A wide and regular current that strengthens your condition. Swim, noticeably stronger every day, against up to 300 litres or 400 litres per minute.


The highlight for real athletes comes with the established Evastream. A brand product that needs no description.

For every target group you will find the appropriate product.

			jit.
A Property of			/ ///
AR.	2.9	4.	77
34		24	

	New!						
	TWINJET	TRIJET	COMFORTJET 300	COMFORTJET 400	EVASTREAM PRO	EVASTREAM MAX	
POWER	+	+++	++	+++	+++	++++	
COMFORT	++	++	++++	++++	++++	+++++	
	Continuous swimming	Sport swimming	Comfort swimming	Comfort swimming Plus	Natation sportive Plus	Sport Swimming Plus	







TWINJET - DOUBLE JET UNIT

Continuous swimming

Equipment Twinjet

(for pools with roller shutter shaft): 2 jet nozzles, 2 suction fittings, 1 piezo switch, 1 air regulator (all parts in brass and stainless steel), incl. valves

Pump kit (blue)

2,6 kW-400 V incl. switch box (6-10 A), Qmax approx. $60 \text{ m}^3/\text{h}$

TRIJET - TRIPLE JET UNIT

Sport swimming

Equipment Trijet

(for pools with roller shutter shaft): 3 jet nozzles, 2 suction fittings, 1 piezo switch, 1 air regulator (all parts in brass and stainless steel), incl. valves

Pump kit (green)

4,0 kW-400 V incl. switch box (10-12 A), Qmax approx. 90 m^3/h

Counter current unit







COUNTER CURRENT UNIT

Made of GRP for a comfortable swimming

Turbine for counter-current swimming,

multispeed control, nominal power: 1,200 Watt, power supply: 230 V/50 Hz, voltage: 24V DC 50A.

Complete unit Comfortjet 300 m³

Colours: White (0) or black (5)

New! Complete unit Comfortjet 400 m³

Colours: White (0) or black (5)

New!

Spotlight package, warm white

Integrated lighting (front and side), 2 x 45 W, LED warm white, incl. transformator

Spotlight package, RGB

Integrated lighting (front and side), 2 x 40 W, LED RGB, incl. switch box and remote control









EVAstream PRO

Counter current unit "Sport Swimming Plus"

Dynamic light adjustment is only possible in combination with EVA RGB-W lighting. 1 turbine 2 kW / 350 m³/h / 8.5 m/s, connection: 230 V / 9 A, incl. power supply unit, with control for piezo switch, standard cable length: 5 m (3 x 1* 16 mm²), extension: 3 x 1 x 25 mm², max. length: 25 m

EVAstream MAX -

Counter current unit "Sport and athletics"

Dynamic light adjustment is only possible in combination with EVA RGB-W lighting. 2 turbines 2,4 kW / 2x 225 m³/h, connection: 230 V / 11 A, incl. power supply unit, with control for piezo switch, standard cable length: 5 m (6 x 1* 16 mm²), extension: 6 x 1 x 25 mm², max. length: 25 m

POA

POA

INTEGRA JET with EVAstream PRO

pool type 320 **POA** pool type 370

INTEGRA JET with EVAstream MAX

pool type 320 POA pool type 370

Spotlight package, warm white

Integrated lighting (front and side), 2 x 45 W, LED warm white, incl. transformator

Spotlight package, RGB

Integrated lighting (front and side), 2 x 40 W, LED RGB, incl. switch box and remote control

Dynamic spotlight RGB-W for Integra Jet

Dynamic light adjustment is only possible in combination with EVA RGB-W lighting.

Retrofit system "Integra Jet" for already installed pools

POA

POA

POA

Massage systems





AIR BUBBLE BENCH

Refreshing air jet massage

Air channel system, laminated with piezo switch

Blower, 0.85 kW, 230 V for private and public use incl. switch box (6-10 A)

AIR BUBBLE PLATE

Gentle and tingling massage through air bubbles

Air bubble plate and piezo switch

Blower, 0.85 kW, 230 V for private and public use incl. switch box (6-10 A)





HEALTHSTREAM

Massage system for a powerful and targeted body massage

Equipment Healthstream

(for pools with roller shutter shaft): 4 jet nozzles, 2 suction fittings, 1 piezo switch, 1 air regulator (all parts in brass and stainless steel), incl. valves

Pump kit 2,2 kW-400 V incl. switch box (4-6 A)

Stainless steel handrail 2 m, square tube polished, 2 m long, with 2 mounting flange and wall anchors, per piece

FUN PAK FOR "MODENA"

FunPak is the compact flow and massage system designed by RivieraPool

Flow and massage system


with double jet counter current unit, 2 maritim massage jets, 6 Microjets, 1 floor geyser, installed in technique shaft

Technique shaft

laminated to the pool shell with fine wood cover

New! Lighting package





Example of positioning*

* ø170 mm

Lighting package "S"	STANDARD	RIVIE	RIVIERA LIGHT - DESIGN		
Lighting package 3	Classic polished	Stainless steel	Black	Zero	
All step-ends "S1"					
warm white	POA	POA	POA	POA	
RGB	POA	POA	POA	POA	
EVA RGB-W	POA	POA	POA	POA	
Ancona "S2"					
warm white	POA	POA	POA	POA	
RGB	POA	POA	POA	POA	
EVA RGB-W	POA	POA	POA	POA	
Modena "S3"					
warm white	POA	POA	POA	POA	
RGB	POA	POA	POA	POA	
EVA RGB-W	POA	POA	POA	POA	

Lighting package "S" warm white:

"S1" + "S2" = 1 lamp ø170 mm, 45 Watt, WW, 4500 lm, 10 m cable.

"S3" = 1 lamp ø100 mm, 7 Watt, WW, 700 lm, 10 m cable.
Incl. niche, switch box and universal RP connection box.

Lighting package "S" RGB:

"\$1" + "\$2" = 1 lamp ø170 mm, 40 Watt, RGB, 2000 lm 10 m cable.

"S3" = 1 lamp ø100 mm, 6 Watt, RGB, 300 lm, 10 m cable.

Incl. niche, switch box and remote control, DMX-compatible, universal RP connection box.

Lighting package "S" EVA RGB-W (4 years warranty):


1 lamp EVA SubAqua 50 W, RGB-W, 30 m cable.

Incl. niche, KNX-compatible, switch box and remote control.

If an EVA stream is installed, the EVA Lights can be controlled via app.







Example of positioning*

* ø170 mm

Lighting package "M"		STANDARD	RIVIERA LIGHT - DESIGN				
		Classic polished	Stainless steel	Black	Zero		
All step-ends							
warm	white	POA	POA	POA	POA		
RGB		POA	POA	POA	POA		
EVA R	GB-W	POA	POA	POA	POA		

Lighting package "M" warm white:

2 lamps ø170 mm, 45 Watt, WW, 4500 lm, 10 m cable. Incl. niche, switch box for connecting an on-site dimmer universal RP connection box.

Lighting package "M" RGB:

2 lamps ø170 mm, 40 Watt, RGB, 2000 lm, 10 m cable. Incl. niche, switch box and remote control, DMX-compatible, universal RP connection box.


Lighting package "M" EVA RGB-W (4 years warranty):

2 lamps EVA SubAqua, 50 Watt, RGB-W, 30 m cable. Incl. niche, KNX-compatible, switch box and remote control.

If an EVA stream is installed, the EVA Lights can be controlled via app.

New! Lighting package





* ø100 mm

* ø170 mm

Lighting package "L"	STANDARD	RIVIE	RIVIERA LIGHT - DESIGN		
Lighting package L	Classic polished	Stainless steel	Black	Zero	
All step-ends "L1"					
warm white	POA	POA	POA	POA	
RGB	POA	POA	POA	POA	
EVA RGB-W	POA	POA	POA	POA	
Ancona "L2"					
warm white	POA	POA	POA	POA	
RGB	POA	POA	POA	POA	
EVA RGB-W	POA	POA	POA	POA	
Modena "L3"					
warm white	POA	POA	POA	POA	
RGB	POA	POA	POA	POA	
EVA RGB-W	POA	POA	POA	POA	

Lighting package "L" warm white:

"L1"+ "L2" = 1 spotlight, ø170 mm, 45 Watt, WW, 4500 lm, 2 lamps ø100 mm, 7 Watt, 700 lm

"L3" = 3 lamps ø100 mm, 7 Watt, 700 lm

Incl. niche, switch box for connecting an on-site dimmer and universal RP connection box.

Lighting package "L" RGB / EVA RGB-W:

"L1"+ "L2" = 1 lamp ø170 mm 40 Watt, RGB, 2000 lm, 2 lamps ø100 mm, 6 Watt, 300 lm

"L3" = 3 lamps ø100 mm, 6 Watt, RGB, 300 lm


Incl. niche, switch box/splitter with remote control, DMX-compatible, universal RP connection box.

Lighting package "L" EVA RGB-W (4 years warranty):


1 lamps EVA SubAqua, 50 Watt, RGB-W, 30 m cable. 2 lamps EVA SubAqua, 25 Watt, RGB-W, 30 m cable.

Incl. niche, KNX-compatible, switch box and remote control.

If an EVA stream is installed, the EVA Lights can be controlled via app.







Example of positioning*

* ø170 mm

* ø100 mm

Light package "XL"	STANDARD	RIVIERA LIGHT - DESIGN			
Light package XL	Classic polished	Stainless steel	Black	Zero	
All step-ends "XL"					
warm white	POA	POA	POA	POA	
RGB	POA	POA	POA	POA	
EVA RGB-W*	POA	POA	POA	POA	

Lighting package "XL" warm white:

2 lamps ø170 mm, 45 Watt, WW, 4500 lm and 2 lamps ø100 mm, 7 Watt, 700 lm.

Incl. niche, switch box for connecting an on-site dimmer and universal RP connection box.

Lighting package "XL" RGB:

2 lamps ø170 mm, 40 Watt, RGB, 2000 lm und 2 lamps ø100 mm, 6 Watt, 300 lm.

Incl. niche, switch box/splitter with remote control, DMX-compatible, universal RP connection box.

Lighting package "XL" EVA RGB-W (4 years warranty):

2 lamps EVA SubAqua, 50 Watt, 30 m cable. 2 lamps EVA SubAqua, 25 Watt, 30 m cable.

Incl. niche, KNX-compatible, switch box and remote control.

If an EVA stream is installed, the EVA Lights can be controlled via app.

Lighting packages: STANDARD CLASSIC / RIVIERA LIGHT - DESIGN





ø54 mm (Mini) und ø100 mm





Translucent Ø180 mm, design ring: stainless steel

Available in warm white / RGB / EVA-Light RGB-W

Riviera Light R1:Translucent Ø250 mm, design ring: stainless steel
Available in warm white / RGB / EVA-Light RGB-W



Translucent Ø180 mm, design ring: black

Available in warm white / RGB / EVA-Light RGB-W

Riviera Light R1:Translucent Ø250 mm, design ring: black
Available in warm white / RGB / EVA-Light RGB-W



Translucent Ø180 mm, without design ring

Available in warm white / RGB / EVA-Light RGB-W

Riviera Light R1:Translucent Ø250 mm, without design ring
Available in warm white / RGB / EVA-Light RGB-W

Equipment package: CLASSIC & RIVIERA ELEMENTS





CLASSIC with polished stainless steel face plates

RIVIERA ELEMENTS: "Acryl Black"




Inlet nozzle

Cover for bottom outlet sump



Inlet nozzle

Cover for bottom outlet sump



Suction fitting



Suction fitting

Triangular inlet nozzle



"PVC White"



Inlet nozzle

Cover for bottom outlet sump



Suction fitting

Triangular inlet nozzle

RivieraPool® roller shutter cover...



Cover: Polycarbonate solar, silver vaporised



ROLLER SHUTTER COVER BY RIVIERAPOOL

Our exclusive Thermosafe roller shutter covers are engineered for use in RivieraPool prefabricated swimming pools. Adapted and adjusted to the specific pool dimensions, shape, stairs, and layout of your pool, the Thermosafe roller shutter cover delivers safety, security, and convenience all in one brilliantly designed accessory. With a precise water level regulator and overflow fitting designed for optimal operation of the roller shutter, you can rest assured knowing your pool will be protected from the elements and your friends, family, children, and pets are kept safe.

Our Thermosafe slats are available in two styles:

With two styles to choose from, you can create a customised pool security experience that meets your unique needs, goals, and priorities. Choose between PVC, available in white, grey or solar, and the extremely durable, largely hailproof, and easy to maintain polycarbonate solar or solar silver vaporised version.



ROLLER SHUTTER SHAFT WETLOUNGE RS

The roller shutter shaft extends the pool by 145 cm

Roller shutter shaft "WetLounge RS", extends the pool by 145 cm, wetlounge can be used as a seating and lounging area, enables a high water level, additional water content 320: 1.6 m³ /370: 1.9 m³.

Pool type:	320	*1,6 m³	P	OA
Pool type:	370	*1,9 m ³	P	ΟΔ

Surcharge for covered with mosaic

Pool type: 320	PUA
Pool type: 370	POA

... elegant appearance and safety for humans and animals ...





ROLLER SHUTTER SHAFT INTEGRA 2-13

The roller shutter shaft extends the pool by 48 cm.

Roller shutter shaft Integra 2-13, for an extra high water level, extends the pool by 48 cm, with hinged seat bench (depth 60 cm) and 2 inlet jets. Offers maximum swimming space.

Pool type: **270**, *1,2 m³ **POA**

Pool type: **320**, *1,6 m³ **POA**

POA Pool type: **370,** *1,9 m³

Note: The tiling of the Integra 2-13 is already included in the "Mosaic surface finish" column of the price list pages.



ROLLER SHUTTER NICHE FOR SKIMMER POOLS

The roller shutter shaft extends the pool by 50 cm.

The roller shutter will be installed behind the pool wall and below the coping stones. It extends the pool by 25 cm and protrudes 50 cm into the pool. For inspection purposes the screen can be totally removed. 2 jets are installed in the niche and there is a plain surface for installation of the skimmer. Skimmer is not automatically included and has to be ordered separately! Caution: In the 320 pool, the niche is flanged and screwed in place. In conjunction with the flanging, the insulation is 3 cm thicker in the pool base, so that the flange is flush with the pool base on the outside. External height 1.57 m!

POA Pool type: **270**, *0,6 m³ Pool type: **320**, *0,8 m³ **POA** Pool type: **370**, *1,2 m³ **POA**

Please note: Individual shipment

Pool type N 9 213 000 on request POA

SKIMMER FOR ROLLER SHUTTER NICHE (see illustration on the left)

Pre-installed skimmer front and weir (water level regulator not included), Q=10-14m³/h

POA

Surcharge for covered with mosaic **POA**

POA

POA

Roller shutter shaft / Winter cover





ROLLER SHUTTER SHAFT INTEGRA "D-LUX"

The roller shutter shaft extends the pool by 55 cm.

The flatwater bench consists of two removable parts which allows foreasy opening and access for cleaning and maintenance. Integrated light cove for optional ambience lighting.

Pool type:	320, *0,8 m³	PU
Pool type:	370, *1,2 m³	POA
Please note:	Individual shipment	POA
	pool type POA	FUF

LIGHTING PACKAGE

Ambience package LED warm white

Consisting of 4 preinstalled HT LED lamps warm white, incl. transformer 100 VA, cable connection box and wall duct.

Ambience package LED RGB

Consisting of 4 preinstalled HT LED lamps RGB, incl. remote control, control box, cable connection box and wall duct.

WINTER COVER

for Ancona, Modena, Modena 550, Linear, Linear RS, Lugano RS and WetLounge Ancona/Linear RS

Safety cover made of high-strength fabric foil in grey, integrated, stable aluminium tubes on the underside. A hand crank for convenient opening, retractable ground anchors in the pool deck and sturdy lashing straps ensure very good fastening. The ideal winter protection, protects your shutter cover from leaves and dirt, protects the pool and small animals from accidents. A worthwhile investment for the winter break.


Prices see model pages

POA

POA

Infinity-Rinne / WetLounge






OVERFLOW CHANNEL AT THE FRONT SIDE

Overflow channel, 47 x 27 cm.

Connected to the front side of the pool shell but 25 cm lower, incl. glue and filler to fix coping stones on top of the overflow edge (coping stone not included) 2 gutter drains dia 125 mm.

Pool type 320	POA
Pool type 370	POA
3,20 m channel grating: 320	POA
3,20 m channel grating : 370	POA
Pendulum glides with guide rollers	POA



Infinity edge on a long side

WETLOUNGE® / SHALLOW WATER AREAS

In the same colour as the pool, depth of 23 cm: White (03), papyrus (27), silver grey (24), sea blue (26), beach (28), granicite stone grey (22) or covered with mosaic.

The full width of the pool, level with the top step. Allowing the shallow water zone to

		be completely covered by the slatted cover. Incl. 2 inlets 1½", 4 x 8 mm.		
			In the same colour as the pool	Surcharge for covered with mosaic
		1 m long für 370 laminated	POA	POA
		1 m long für 370 flanged	POA	
		1 m long für 320 anlaminiert (not for Ancona 1000 x 320)	POA	POA
		2 m long für 370 laminated	POA	POA
		2 m long für 370 flanged	POA	
2 m long		2 m long für 320 laminated (not for Ancona 1000 x 320)	POA	POA
Modena with WetLounge,		2 m long für 320 flanged	POA	
granicite stonegrey		Lighting package, WetLounge, warm white 2 spots HT-Mini incl. niches, 7 W / 12 V, without transformer	POA	POA
	1 m long	Lighting package, WetLounge, colour light 2 spots HT-Mini incl. niches, 5 W / 12 V, without transformer	POA	POA

Decor tiles made of Ezarri glass mosaic / Complete tiling



Decor tiles made of Ezarri glass mosaic

A wide colour selection of mosaics as well as examples of the colour effect can be found under:



Complete tiling, Ancona with WetLounge.

EXCLUSIVE GLASS MOSAIC SURFACES

Glass mosaic is one of the most durable, high-end surfaces available for swimming pool design. The single mosaic tiles have different tones and thus produce a unique reflection of light and colour to your pool, depending on the angle from which you're looking from and the spectral colour hitting the water surface. This result is an infinite number of different colour effects which extensively contribute to the ambience and atmosphere of your indoor or outdoor pool area.

DECOR TILES MADE OF EZARRI GLASS MOSAIC, Height: 21 cm

Series IRIDESCENT, ZEN, SPACE, COCKTAIL or METAL Dimensions: 25 x 25 mm, **POA** Price per meter

ATTENTION:

All other collections only on request (surcharge). Please contact us.

COMPLETE TILING

All standard pools can be supplied with a glass mosaic tile finish from the factory! The pinnacle of surface quality. A visual and haptic highlight, permanently stable and sustainable thanks to epoxy material. The pools are delivered with a transport lock made of screwed beams and covered with a protective tarpaulin for clean transport.
















Choose from 5 excellent series from Ezarri ...



A wide colour selection of mosaics as well as examples of the colour effect can be found under:

www.ezarri.com



Quality - Design - Functionality















UK 01268 710425 INT +44(0)1268 710425 sales@mypooldirect.co.uk Main Office 5-7 Downham Road, Ramsden Heath, Billericay, Essex, CM11 1PU

www.mypooldirect.co.uk